



# How to Create a User Adjustment Curve using the Raster Image Viewer

GP Controller for ApeosPro  
C810/C750/C650

Version 1.0

## Overview

This exercise will demonstrate the ability to preview and edit Ripped pages (Raster data) before they are printed (otherwise known as Soft Proofing). This feature can be used to gain a reduced or enlarged view of pixel data and quickly edit pages by using GP Controller color correction tools.

## Objective

By the end of this exercise users will be able to:

- Navigate to the location of the setting on the GP Controller.
- View the Ripped data of an imported job.
- Make an adjustment to the default value.
- Produce a sample print out.
- Compare the results.

BEFORE



Original

AFTER




Improved Image

## Display the preview by Raster Image Viewer


Print a sample file with the default setting before making the following adjustment.




1. In the shortcut area, select **Import Jobs**.





2. Select the file to import.
3. Right-click the imported job, then select **Raster Image Viewer**.




4. Click **Yes**.




5. From the Rotation drop down, select **270** to change the view orientation.




6. From Color Adjustments, check the **Adjust Image** box, then click **Select**.




7. In User Adjustment Curve dialog box, click **+** (Create New).




8. Enter a new **File Name** and click **OK**.



9. Select the created User Adjustment Curve and click **OK**.




10. Select **Edit** in User Adjustment Curve to display User Adjustment Curve Edit Dialog box.




11. For the purpose of this training, click **Edit by Color**, then select **(M) Magenta** from the drop down. Lower the 50% (Mid-Tone) point of the curve slightly by clicking and dragging in a downward direction.

The adjusted result is displayed in the image preview.



12. Click **Print Sample**, select copies, range etc. and click **OK** to print with adjustment.



13. If the printout is good, click **OK** to save the adjustment. If not, edit User Adjustment and print again.

Print a sample file with your new settings to compare to the defaults.



Congratulations you have now completed this exercise.

**FUJIFILM**

For more information, visit us at

FUJIFILM Business Innovation Asia Pacific Pte. Ltd

[support-fb.fujifilm.com](http://support-fb.fujifilm.com)

FUJIFILM and FUJIFILM logo are registered trademarks or trademarks of FUJIFILM Corporation