

How To Install a Printer Driver on Windows

GX Print Server for PrimeLink™

Version 1.0

FUJIFILM Business Innovation Corp.

Overview

This exercise will demonstrate the process of downloading, installing and printing using a GX Print Server "PDF Printer Driver" on a Microsoft Windows 10/7 PC.

Objective

- Download the PDF Printer Driver from Web Manager ٠
- Install the printer driver on Windows 10/7 Print from an application •
- •



Download and Install Printer Driver

This demonstration requires the IP Address of the GX Print Server. To learn how to find the IP address of the GX Print Server please refer to: The GX Print Server User Guide accessed by the "Help menu" on the Print Station – "Chapter 4 System Settings".

- 1. Access the GX Print Server webpage by entering the IP address on the web browser address bar from the client computer.
- 2. Select [Download] and [Windows].



3. Click the link [PDF Printer Driver] to download the printer driver to the local Windows PC.



For the PostScript printer driver, please click the link [Printer Driver].

- 4. Double-click the downloaded file,(PSDriver_GX2_PPD.exe) and unzip the file to a location of your choice.
- 5. Double-click the [Setup.exe] file.

me	Date modified	Туре	Size
dotnet	2/8/2019 4:08 PM	File folder	
printerdriver	2/8/2019 4:15 PM	File folder	
readme	2/8/2019 4:08 PM	File folder	
tools	2/8/2019 4:14 PM	File folder	
FXCI	6/25/2018 1:11 PM	BMP File	134 KB
setup.cfg	8/24/2018 3:14 PM	CFG File	36 KB
Setup	12/7/2018 4:51 PM	Application	2,037 KB



Please note: Either the "Microsoft .NET Framework 4 Client Profile", or the "Microsoft .NET Framework 4" is needed to install the Printer Driver. If they are not installed, the ".NET Framework" will be automatically installed.

6. Select [Yes].



- 7. Configure the following settings:
 - a. Enter the IP address of Print Server in [Hostname or IP address].
 - b. You may enter the port name in [Port name] or leave it as the default IP.

8. Click [OK] to apply the changes.

Add Printer for FX PrimeLink GX24 PS EN	Ver.1.04	-		×
		FUJI Xe	rox	•
Printer				
Printer Name	FX PrimeLink GX24 PS EN			
	Set as Default Printer			
Printer Port				
Create a New Port				
Host Name or IP Address				
Select Queue Name	lpr_print			~
Port Name				
O Use an Existing Port	13.193.132.84 (Standard TCP/IP Port)			
Printer Sharing				
O not share this printer.				
O Share this printer so that others or	your network can find and use it.			
	ОК	C	ancel	

9. When the following dialog box appears, click [Install].



10. Click [OK].



Congratulations, you have now completed the installation process of a GX Print Server Printer Driver.

Please continue to the next steps in this exercise. We will test the success of the install, by choosing a file and an application to print from.

Print from the Windows Client

1. Select [File] >> [Print] from the application.

1

Please note, in the next step we will use the example of printing to a GX Print Server for PrimeLink[™]. If you are following this installation for another device the printer that you installed in the previous steps will be different.

2. Select the FX PrimeLink GX24 PS EN from [Printer], and click [Properties].

Auditor: DV Millionity (2009-12-14	Properties	Advanced Hdp O
<u>Copies 1 (\$</u>	Print in graysca	ale (black and white)
Pages to Print @ All O Cyrrent page O Rower		Coggments & Forms Document and Markups &
More Options		Scale: 54% 8.5 x 11 inches
Size Poster Multiple	Booklet	
□ Et ○ Actual size § Shinik oversized pages ○ Custom Scale 100 % □ Choose paper source by PDF page size		How Its Acapt) Adjuid lower Techt (new Neight schne Gwen th Analysis
□ Print on goth sides of paper Orientation: ® Auto opcitest/landscape ○ Dentriat ○ Landscape		
		। ।

3. If required, set up job properties, click [Job Properties].

	Favorites(3):					
	A Standard	1	Save	Deista	Import/Export	
	Job Name : Auto Acquistion Original Size(S):			Original Orientation C Rotate to Lar Portrat Origin	idscape al	
° a	Output Dance Staffile		C Landscape Orignal			
	Same as Document Size			Copies(C):		
	Scaling(U):	140		Reverse Order (N	-1): Collated(Q):	
	Print in Center of Paper(K):			Multiple-Up(N):		
	2 Sided Printing(R):			Print Border Curr	n Multiple-Un (W):	
	No			Paper Trav(F):	**************************************	
	Color Mode(M):			Auto Select		
	Yeat Color	~			Auto Tray Paper Settings	
			3	Output Destination(C	i)n	
				Auto Select		
			1	Offset Stacking(L):		
				No		
				Job Droperties	Restore Defaulte	
				Job Propercies	Kestore Derauks	

4. Make the necessary selections and click [OK].

5. Click [Print] in the [Print] dialog box.

The jobs are sent to GX Print Server.



Congratulations you have now completed this exercise.